AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method in the mobile communication terminal for differentially implementing functions of the mobile communication terminal according to a class of a user, comprising the steps of:

setting at least one condition for selecting at least one function in order to differentially implement the at least one function according to the class of the user;

activating a menu for selecting the at least one function available to the user when the at least one preset condition is met;

informing the user through a text message received by the mobile terminal from a mobile service provider of a change in the class of the user and the at least one function available to the user after a the change of the user's class, wherein the text message includes a service code corresponding to the at least one function that changes due to the change in the class of the user; and

applying the change in the at least one function available to the user to the mobile communication terminal.

2. (Cancelled)

3. (Cancelled)

4. (Original) The method according to claim 1, wherein the step of applying the change in the at least one function comprises activating a menu for selecting the at least one function that becomes available due to the change in the class of the user.

5. (Original) The method according to claim 4, wherein the step of applying the change in the at least one function comprises further comprises:

requesting the user to input a service code corresponding to the at least one function that becomes available due to the change in the class of the user; and

receiving the service code input by the user in response to the request.

6. (Original) The method according to claim 1, wherein the step of applying the change in the at least one function comprises deactivating of a menu for selecting the at least one function that becomes unavailable due to the change in the class of the user.

7. (Currently Amended) A mobile communication terminal for differentially implementing at least one function according to a class of a user, comprising:

a memory for storing at least one preset condition for selecting the at least one function in order to differentially implement the at least one function according to the class of the user, ~~wherein the memory stores a service code corresponding to the at least one function~~; and

a control section for activating the at least one function available to the user when the at least one condition stored in the memory is met,

wherein the control section detects a change in the class of the user and, if there is a change in the at least one function available to the user due to the change in the user's class, informs the user of the change in the at least one function and applies the change to the mobile communication terminal, <u>and</u>

wherein the control section receives a text message indicating the change in the class of the user from a mobile service provider and detects the change in the class of the user, ~~wherein the text message includes a service code corresponding to the at least one function, and~~ ~~wherein the control section activates a menu for selecting the at least one function that becomes~~ ~~available due to the change in the class of the user.~~

8. (Currently Amended) The mobile communication terminal according to claim 7, wherein said memory stores information including at least one of a function identification (ID) representing a unique number assigned to the at least one function, a function name, a function type showing the at least one condition for selecting the at least one function, <u>and a service code</u> <u>corresponding to the at least one function</u>.

9. (Cancelled)

10. (Cancelled)

11. (Cancelled)

12. (Previously Presented) The mobile communication terminal according to claim 7, wherein said control section activates a menu for selecting the at least one function that becomes available due to the change in the class of the user.

13. (Original) The mobile communication terminal according to claim 12, wherein said control section requests the user to input a service code corresponding to the at least one function that becomes available due to the change in the class of the user and receives the service code input by the user in response to the request.

14. (Previously Presented) The mobile communication terminal according to claim 7, wherein said control section deactivates a menu for selecting the at least one function that becomes unavailable due to the change in the class of the user.

15. (Previously Presented) The method according to claim 1, wherein the menu includes a plurality of menu items each different from the other, each menu item corresponding to a function of the mobile communication terminal.

16. (New) The method according to claim 1, wherein said text message includes a service code corresponding to the at least one function that changes due to the change in the class of the user.

17. (New) The mobile communication terminal according to claim 7, wherein said text message includes a service code corresponding to the at least one function.